



F175C

Model: 2019

www.motociclete.com.ro



F175C: F175C

Dual Motors, dealer autorizat: Yamaha Motors

Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air

Adresa: [Soseaua Pipera 48, Bucuresti](http://www.motociclete.com.ro) | Tel: [021-528 0474 / 75](tel:021-5280474) | Mobil: [0722.354.437](tel:0722354437)

Email: info@motociclete.com.ro

www.motociclete.com.ro | www.bikershop.ro

F175C

- Optional Tilt Limiter system
- High output alternator (50A)
- Yamaha's famous EFI system for supreme efficiency
- Variable trolling RPM control function
- Compatible with Yamaha Digital Network system
- Shift Dampener System (SDS) for smooth shifting
- Optional Dual Battery Charging System
- Offset crankshaft and special balance shaft
- 2.8 litre 4-cylinder DOHC 16-valve engine
- Yamaha Customer Outboard Protection (Y-COP) option

Culori



Dual Motors, dealer autorizat: Yamaha Motors
Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air
Adresa: [Soseaua Pipera 48, Bucuresti](#) | Tel: [021-528 0474 / 75](#) | Mobil: [0722.354.437](#)
Email: info@motociclete.com.ro

- - -

www.motociclete.com.ro | www.bikershop.ro

Specificatii tehnice

Motor	Dimensiuni	Caracteristici
Engine type	Transom height	Control
4-stroke	L516X:643mm	Drive By Wire (DBW)
Displacement	Weight with propeller	Trim & Tilt method
2,785cc	F175CETL:	Power Trim & Tilt
No. of cylinders/Configuration	226.0kg,F175CETX:227.0kg,FL175CETX:227.0kg	Light coil / Alternator
4/In-line, 16-valve, DOHC	Fuel tank capacity	Output
Bore x stroke	-	12V -50Awith rectifier/regulator
96.0 mm x 96.2 mm	Oil pan capacity	Engine immobilizer
Prop shaft output at mid range	4.5litres	YCOP optional
128.7 / 5,500 rpm		Propeller
Full Throttle Operating Range		Optional
5,000 - 6,000 rpm		Counter
Lubrication system		Rotation Model
Wet sump		Available (ETX)
Fuel Induction System		Variable Trolling Speed
EFI		With DN Gauges
Ignition / advance system		Dual Battery Charging System
TCI		Optional
Starter system		Shift Dampener System (SDS)
Electric with Prime Start™		Optional
Gear ratio		Remark
1.86 (2614)		The kW data in this sheet is based on the ICOMIA 28 standard, measured at the prop shaft

Dual Motors, dealer autorizat: Yamaha Motors

Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air

Adresa: [Soseaua Pipera 48, Bucuresti](#) | Tel: [021-528 0474 / 75](#) | Mobil: [0722.354.437](#)

Email: info@motociclete.com.ro

- - -

www.motociclete.com.ro | www.bikershop.ro