



F70A: Always work or play with a powerful partner

Offering unbeatable versatility, the lightweight F70 will power a wide range of boat types, so it's equally at home when you're working, or if you're out to experience the fresh air and fun of leisure boating and watersports. In fact, the F70 is the lightest, most powerful 4-stroke in its class.

Dual Motors, dealer autorizat: Yamaha Motors

Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air

Adresa: [Soseaua Pipera 48, Bucuresti](http://www.motociclete.com.ro) | Tel: [021-528 0474 / 75](tel:021-5280474) | Mobil: [0722.354.437](tel:0722354437)

Email: info@motociclete.com.ro

Always work or play with a powerful partner

For cleaner performance, maximum fuel efficiency and easy starting, the powerful 16-valve SOHC engine features EFI (Electronic Fuel Injection) and Yamaha's unique PrimeStart™ system. Compatibility with Yamaha's Digital Network Gauges delivers precise control too.

Sleek and stylish too - your F70 is sure to attract admiring glances from everyone - whether aboard or on the shore.

- 16-valve SOHC with EFI (Electronic Fuel Injection)
- Compatible with Yamaha Digital Network Gauges
- PrimeStart™ system for easy starting
- Variable trolling RPM switch
- Wide Range Power Trim & Tilt
- Compact shape with solid one-piece top cowling
- Yamaha Customer Outboard Protection (Y-COP) option
- Tilt Limiter system option
- Single lever steering friction (tiller models)
- High Output alternator
- Shallow Water Drive for cruising close inshore
- Anti-knock control system

Culori



Dual Motors, dealer autorizat: Yamaha Motors
Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air
Adresa: [Soseaua Pipera 48, Bucuresti](#) | Tel: [021-528 0474 / 75](#) | Mobil: [0722.354.437](#)
Email: info@motociclete.com.ro

- - -

www.motociclete.com.ro | www.bikershop.ro

Specificatii tehnice

Motor

Engine type

4-stroke

Displacement

996 cm³

No. of

cylinders/Configuration

4 /In-line, 16-valve, SOHC

Bore x stroke

65.0 mm x 75.0 mm

Prop shaft output at mid range

51.5 / 5,800 rpm

Full Throttle Operating Range

5,300 - 6,300 rpm

Lubrication system

Wet sump

Fuel Induction System

EFI

Ignition / advance system

TCI

Starter system

Electric with Prime Start™

Gear ratio

2.33 (2812)

Dimensiuni

Transom height

L534X:648mm

Weight with propeller

F70AETL:

119.0kg, F70AETX:

121.0kg

Fuel tank capacity

separate, 25litres

Oil pan capacity

2.1litres

Caracteristici

Control

Remote Control

Trim & Tilt method

Power Trim & Tilt

Light coil / Alternator Output

12V -15Awith rectifier/regulator

Engine immobilizer

YCOP optional

Propeller

Optional

Variable Trolling Speed

With DN Gauges or m-f tiller handle

Shift Dampener System (SDS)

Optional

Remark

The kW data in this sheet is based on the ICOMIA 28 standard, measured at the prop shaft

Dual Motors, dealer autorizat: Yamaha Motors

Importator oficial: Arai, Putoline, Lazer, Dainese, GoldFren, AGV, Twin Air

Adresa: [Soseaua Pipera 48, Bucuresti](#) | Tel: [021-528 0474 / 75](#) | Mobil: [0722.354.437](#)

Email: info@motociclete.com.ro

- - -

www.motociclete.com.ro | www.bikershop.ro